

GS500

MATERIAL SAFETY DATA SHEET

POLYMER SYSTEMS
THE DEXTER CORPORATION
ONE DEXTER DRIVE
SEABROOK, NH 03874

TELEPHONE 603-474-5541
EMERGENCY 1-800-424-9300
(FOR EMERGENCY USE ONLY)

8/26/98

EUROPEAN SALES
Dexter Polymer Systems
Stag Industrial Estate
Atlantic Street
Altrincham, Cheshire
England
WA14 5DW8
Phone: 0161-929-0424
Fax: 0161-929-0425

SOUTH EAST ASIA SALES
Dexter Asia Pacific LTD
6, Tuas Avenue 8
Singapore
639221

Phone: 065-862-0261
Fax: 065-861-8850

PRODUCT CODE: JE7405-

HMIS 010
DESCRIPTION: STANLEY 07405

ORIGINAL

* N.A. = NOT APPLICABLE

N.E. = NOT ESTABLISHED

SECTION I - NOMENCLATURE

CHEMICAL NAME AND SYNONYMS
Adhesive

TRADE NAME AND SYNONYMS
Stanley 07405

CHEMICAL FAMILY
Ethylene-vinyl acetate

FORMULA
Physical mixture of components

SECTION II - HAZARDOUS INGREDIENTS & SECTION 313 SUPPLIER NOTIFICATION

If a hazardous ingredient is identified as being a toxic chemical via hazard code "A", that chemical is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40CFR372.

HAZARD CODES (HAZD):

- C=Carcinogen (OSHA, NTP, IARC)
- H=Hazardous (OSHA)
- P=California Prop 65 (carcinogen)
- A=Superfund Amendments and Reauthorization Act (SARA)

HAZARDOUS MATERIAL	% by Wt.	TLV MEAS.	PEL MEAS.	CAS NBR	HAZD
Not Applicable					

SECTION III - PHYSICAL DATA

BOILING PT (DEG. F)	N.A.	SPECIFIC GRAVITY	1.00
VAPOR PRESSURE (MM HG)	N.A.	PCT VOLATILE BY VOL	N.A.
PCT VOLATILE BY WEIGHT	N.A.	EVAPORATION RATE	N.A.
SOLUBILITY IN WATER	Nil.	VAPOR DENSITY (AIR=1)	N.A.
		MELT POINT	200 F

APPEARANCE AND ODOR-
Amber/Slight resinous odor

Model # GS500

4" Super Glue Stick (6pk.)

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

JE7405 CONTINUED...

FLASH POINT (DEG. F) Above 450F
LOWER EXPLO. LEVEL UNKNOWN

METHOD USED N.A.
UPPER EXPLO. LEVEL UNKNOWN

EXTINGUISHING MEDIA-
Water, CO2, foam, dry chemical

SPECIAL FIRE FIGHTING PROCEDURES-
None

UNUSUAL FIRE AND EXPLOSION HAZARDS-
None

GS500

SECTION V - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE-
Not Applicable

EFFECTS OF OVEREXPOSURE-
Unknown

EMERGENCY AND FIRST AID PROCEDURES-
Skin: Wash with soap and water
Eyes: Flush with water

WARNING!
Molten hot melt adhesive can cause severe burns upon contact with skin.

SECTION VI - REACTIVITY DATA

STABILITY STABLE

CONDITIONS TO AVOID-
None known

INCOMPATIBILITY (MATERIALS TO AVOID)-
Not Applicable

HAZARDOUS DECOMPOSITION PRODUCTS-
Carbon monoxide (from partial combustion as for most organic materials)

HAZARDOUS POLYMERIZATION-
Will not occur

CONDITIONS TO AVOID-
None known

SECTION VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED-
Sweep up to avoid any slipping hazard

WASTE DISPOSAL METHOD-
Dispose of according to all local, state and federal laws.

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (SPECIFY TYPE)-
None when using adequate ventilation

VENTILATION-
Recommended when heating

PROTECTIVE GLOVES-
Heat protective gloves

EYE PROTECTION-
Goggles

OTHER PROTECTIVE EQUIPMENT-
Not required

SECTION IX - SPECIAL PRECAUTIONS

SECTION IX - SPECIAL PRECAUTIONS

JE7405 CONTINUED...

PRECAUTIONS TO BE TAKEN IN STORAGE AND HANDLING-
None known

OTHER PRECAUTIONS-

WARNING]
Molten hot melt adhesive can cause severe burns upon contact with skin.

 *TSCA: All the components contained in this product comply with *
 * applicable requirements pertaining to the US EPA TSCA inventory *
 * under 40CFR Part 710 and 720. *

 *The information and recommendations contained herein are based upon data *
 *believed to be correct. However, since much of the information has been *
 *received from sources outside our company, we cannot guarantee its *
 *accuracy or completeness. Health and safety precautions contained *
 *within this data sheet may not be adequate for all individuals and/or *
 *situations. It is the user's obligation to evaluate and use this data *
 *in order to comply with all applicable laws and regulations. *
 *Additionally, no guarantee or warranty of any kind, expressed or implied *
 *is made with respect to the information contained herein. *

CONTACT: Cathy Follansbee MSDS DATE 8/26/98 PAGE 3 OF 3